

GenCore version 5.1.4\_p5\_4578  
Copyright (c) 1993 - 2003 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 17, 2003, 07:13:51 ; Search time 6.19847 Seconds  
(without alignments)  
194.050 Million cell updates/sec

Title: US-09-787-082-6  
Perfect score: 173  
Sequence: 1 CRKGAKCSRLMYDCGTGSCRSKCTRNG 29

Scoring table: BLOSUM62  
Gapop 10.0 , Gapext 0.5

Searched: 112892 seqs, 41476328 residues  
Total number of hits satisfying chosen parameters: 112892

Minimum DB seq length: 0  
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%  
Maximum Match 100%  
Listing first 45 summaries

Database : SwissProt\_40.\*

Pred. No. is the number of results predicted by chance to have a  
score greater than or equal to the score of the result being printed,  
and is derived by analysis of the total score distribution.

## SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	151	87.3	71	1	CXOA_CONMA
2	124	71.7	25	1	CXOB_CONCT
3	122.5	70.8	26	1	CXOC_CONCT
4	120	69.4	25	1	CXOE_CONMA
5	115	66.5	27	1	CX07_CONCN
6	115	66.5	71	1	CX03_CONST
7	115	66.5	71	1	CX0A_CONCT
8	114	65.9	73	1	CXOD_CONCT
9	112.5	65.0	29	1	CXOC_CONMA
10	104	60.1	29	1	CXOD_CONMA
11	97.5	56.4	72	1	CXOB_CONST
12	75.5	43.6	29	1	CX07_CONGE
13	64	37.0	72	1	MT12_MYTED
14	60.5	35.0	66	1	MT3_RAT
15	60.5	35.0	68	1	MT3_MOUSE
16	59	34.1	72	1	MT1A_MYTED
17	58	33.5	27	1	CXDB_CONTE
18	58	33.5	72	1	MT1B_MYTED
19	58	33.5	78	1	CXDA_CONTE
20	57	32.9	72	1	CXOA_CONST
21	57	32.9	72	1	MT14_MYTED
22	56.5	32.7	73	1	CX06_CONGE
23	56	32.4	72	1	CX02_CONST
24	55.5	32.1	27	1	CX06_CONRA
25	55	31.8	61	1	MT1A_HORSE
26	55	31.8	65	1	MTB_STRPU
27	55	31.8	68	1	MT3_HORSE
28	55	31.8	68	1	MT3_HUMAN
29	55	31.8	68	1	MT3_PIG
30	55	31.8	72	1	CX01_CONST
31	55	31.8	61.5	1	FAI2_HUMAN
32	54.5	31.5	26	1	CX06_CONTU
33	54.5	31.5	26	1	CX07_CONTE

## RESULT 1

ID	CXOA_CONMA	STANDARD;	PRT;	71 AA.
AC	P05484;			
DT	01-NOV-1988 (Rel. 09, Created)			
DT	15-JUN-2002 (Rel. 41, Last sequence update)			
DT	15-JUN-2002 (Rel. 41, Last annotation update)			
DE	Omega-conotoxin MVIIa precursor (SNX-111) (Ziconotide).			
OS	Conus magus (Magus cone).			
OC	Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;			
OC	Neogastropoda; Conoidea; Conidae; Conus.			
OX	NCBI_TaxID=6492;			
RN	[1]			
RP	SEQUENCE FROM N.A.			
RC	TISSUE=Venom duct;			
RX	PubMed=10938268;			
RA	Lewis R.J., Nielsen K.J., Craik D.J., Loughnan M.L., Adams D.A.,			
RA	Sharpe J.A., Luchian T., Adams D.J., Bond T., Thomas L., Jones A.,			
RA	Matheson J.-L., Drinkwater R., Andrews P.R., Alewood P.F.;			
RT	"Novel omega-conotoxins from Conus catus discriminate among neuronal			
RT	calcium channel subtypes."			
RL	J. Biol. Chem. 275:35335-35344(2000).			
RN	[2]			
RP	SEQUENCE OF 46-70.			
RX	MEDLINE=86070213; PubMed=4071055;			
RA	Olivera B.M., Gray W.R., Zeikus R.D., McIntosh J.M., Varga J.,			
RA	Rivier J.E., de Santos V., Cruz L.J.;			
RT	"Peptide neurotoxins from fish-hunting cone snails."			
RL	Science 230:1338-1343(1985).			
RN	[3]			
RP	SEQUENCE OF 46-70.			
RX	MEDLINE=87299637; PubMed=2441741;			
RA	Olivera B.M., Cruz L.J., de Santos V., Lecheminant G.W., Griffin D.,			
RA	Zeikus R.D., McIntosh J.M., Galyean R., Varga J., Gray W.R.,			
RA	Rivier J.E.;			
RT	"Neuronal calcium channel antagonists. Discrimination between calcium			
RT	channel subtypes using omega-conotoxin from Conus magus venom."			
RL	Biochemistry 26:2086-2090(1987).			
RN	[4]			
RP	DISULFIDE BONDS.			
RX	PubMed=8537186;			
RA	Chung D., Gaur S., Bell J.R., Ramachandran J., Nadasdi L.;			
RT	"Determination of disulfide bridge pattern in omega-conopeptides."			
RL	Int. J. Pept. Protein Res. 46:320-325(1995).			
RN	[5]			
RP	SYNTHESIS, AND MUTAGENESIS OF LYS-47 AND TYR-58.			
RX	PubMed=7826361;			
RA	Kim J.I., Takahashi M., Ohtake A., Wakamiya A., Sato K.;			
RT	"Tyr3 is essential for the activity of omega-conotoxin MVIIa and			
RT	GVIa, specific N-type calcium channel blockers."			
RL	Biochem. Biophys. Res. Commun. 206:449-454(1995).			
RN	[6]			
RP	STRUCTURE BY NMR.			
RX	MEDLINE=95367555; PubMed=7640281;			
RA	Kohno T., Kim J.-I., Kobayashi K., Kadera Y., Maeda T., Sato K.;			
RT	"Three-dimensional structure in solution of the calcium channel			

34	54.5	31.5	169	1	KRUA_HUMAN	P26371	homo sapien
35	54	31.2	61	1	MT1A_RABIT	P11957	oryctolagus
36	54	31.2	61	1	MT2B_RABIT	P80289	oryctolagus
37	54	31.2	61	1	MT2D_RABIT	P80291	oryctolagus
38	54	31.2	61	1	MT2E_RABIT	P80292	oryctolagus
39	54	31.2	863	1	AD17_DROME	Q9vac5	drosophila
40	53	30.6	30	1	CX7A_CONTU	P58923	conus tulip
41	53	30.6	64	1	MTA_STRPU	P04734	strongyloce
42	53	30.6	78	1	IBB2_PHAAN	P01061	phaseolus a
43	52.5	30.3	52	1	CTL2_NPVOP	O10286	orygia pseu
44	52.5	30.3	72	1	CXK7_CONPU	P56633	conus purpu
45	52	30.1	60	1	MT_AMBME	O42152	ambystoma m

## ALIGNMENTS

RT blocker omega-conotoxin MVIIA.";  
 RL Biochemistry 34:10256-10263(1995).  
 RN [7]  
 RX STRUCTURE BY NMR.  
 RA PubMed:7656969;  
 RA Basus V.J., Nadasdi L., Ramachandran J., Miljanich G.P.;  
 RT "Solution structure of omega-conotoxin MVIIA using 2D NMR  
 spectroscopy.";  
 RL FEBS Lett. 370:163-169(1995).  
 RN [8]  
 RP STRUCTURE BY NMR.  
 RX MEDLINE-97070382; PubMed-8913308;  
 RA Nielsen K.J., Thomas L., Lewis R.J., Alewood P.F., Craik D.J.;  
 RT "A consensus structure for omega-conotoxins with different  
 selectivities for voltage-sensitive calcium channel subtypes:  
 comparison of MVIIA, SVIB and SNX-202.";  
 RL J. Mol. Biol. 263:297-310(1996).  
 RN [9]  
 RP STRUCTURE BY NMR.  
 RX PubMed-10373375;  
 RA Nielsen K.J., Adams D., Thomas L., Bond T., Alewood P.F., Craik D.J.,  
 Lewis R.J.;  
 RT "Structure-activity relationships of omega-conotoxins MVIIA, MWIIC and  
 14 loop splice hybrids at N and P/Q-type calcium channels.";  
 RL J. Mol. Biol. 289:1405-1421(1999).  
 RN [10]  
 RP STRUCTURE BY NMR.  
 RX PubMed-10747778;  
 RA Atkinson R.A., Kieffer B., Dejaegere A., Sirockin F., Lefevre J.-F.;  
 RT "Structural and dynamic characterization of omega-conotoxin MVIIA: the  
 binding loop exhibits slow conformational exchange.";  
 RL Biochemistry 39:3908-3919(2000).  
 RN [11]  
 RP STRUCTURE BY NMR.  
 RX MEDLINE-21243158; PubMed-11344322;  
 RA Goldenberg D.P., Koehn R.E., Gilbert D.E., Wagner G.;  
 RT "Solution structure and backbone dynamics of an omega-conotoxin  
 precursor.";  
 RL Protein Sci. 10:538-550(2001).  
 CC -!- FUNCTION: Omega-conotoxins act at presynaptic membranes, they bind  
 and block voltage-sensitive calcium channels (VSCC). This toxin  
 blocks N-type calcium channels.  
 CC -!- SUBCELLULAR LOCATION: Secreted.  
 CC -!- TISSUE SPECIFICITY: Expressed by the venom duct.  
 CC -!- PHARMACEUTICAL: Is under clinical trial by Neurex. It blocks acute  
 pain in patients who no longer obtain relief from opiate drugs. It  
 is 100 to 1000 times more potent than morphine. By blocking  
 calcium channels it disables nerves that transmit pain signals.  
 CC -!- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE  
 FAMILY.  
 CC -!- DATABASE: NAME=Ziconotide Source; NOTE=Web site on ziconotide;  
 WWW="http://docmd.com/ziconotide/".  
 DR PIR: C60133; C60133.  
 DR PIR: JH0700; JH0700.  
 DR PDB: 1OMG; 03-APR-96.  
 DR PDB: 1MVI; 12-AUG-97.  
 DR PDB: 1DW4; 01-MAR-00.  
 DR PDB: 1DW5; 01-MAR-00.  
 DR PDB: 1FEO; 23-AUG-00.  
 KW Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;  
 KW Amidation; Signal; 3D-structure; Pharmaceutical.  
 FT SIGNAL 1 22  
 FT PROPEP 23 45  
 FT PEPTIDE 46 70  
 FT DISULFID 46 61  
 FT DISULFID 53 65  
 FT DISULFID 60 70  
 FT MOD\_RES 70 70  
 FT MUTAGEN 47 47  
 FT Y->A: STRONG DECREASE IN ACTIVITY.  
 SQ SEQUENCE 71 AA; 7587 MW; E2A32725C81AF31D CRC64;  
 Query Match 87.3%; Score 151; DB 1; Length 71;

Best Local Similarity 100.0%; Pred. No. 9.3e-12;  
 Matches 25; Conservative 0; Mismatches 0; Indels 0; Gaps 0;  
 QY 1 CKGKGAKCSRLMYDCCTGSCRSKC 25  
 DB 46 CKGKGAKCSRLMYDCCTGSCRSKC 70  
 |||||||||||||||||||||||||||||  
 RESULT 2  
 CXOB\_CONCT STANDARD; PRT; 25 AA.  
 ID CXOB\_CONCT  
 AC P58918;  
 DT 15-JUN-2002 (Rel. 41, Created)  
 DT 15-JUN-2002 (Rel. 41, Last sequence update)  
 DT 15-JUN-2002 (Rel. 41, Last annotation update)  
 DE Omega-conotoxin CVIB.  
 OS Conus catus (Cat cone).  
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;  
 OC Neogastropoda; Conoidea; Conidae; Conus.  
 OX NCBI\_TaxID=101291;  
 RN [1]  
 RP SEQUENCE, AND SYNTHESIS.  
 RC TISSUE=venom;  
 RX PubMed-10938268;  
 RA Lewis R.J., Nielsen K.J., Craik D.J., Loughnan M.L., Adams D.A.,  
 Sharpe I.A., Luchian T., Adams D.J., Bond T., Thomas L., Jones A.,  
 Matheson J.-L., Drinkwater R., Andrews P.R., Alewood P.F.;  
 RT "Novel omega-conotoxins from Conus catus discriminate among neuronal  
 calcium channel subtypes.";  
 RL J. Biol. Chem. 275:35335-35344(2000).  
 CC -!- FUNCTION: Omega-conotoxins act at presynaptic membranes, they bind  
 and block voltage-sensitive calcium channels (VSCC) (By  
 similarity). This toxin blocks N-, P-, and Q-type calcium  
 channels.  
 CC -!- SUBCELLULAR LOCATION: Secreted.  
 CC -!- TISSUE SPECIFICITY: Expressed by the venom duct.  
 CC -!- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE  
 FAMILY.  
 KW Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;  
 KW Amidation.  
 FT DISULFID 1 16 BY SIMILARITY.  
 FT DISULFID 8 20 BY SIMILARITY.  
 FT DISULFID 15 25 BY SIMILARITY.  
 FT MOD\_RES 25 25 AMIDATION.  
 SQ SEQUENCE 25 AA; 2717 MW; D41A9E5F5AFA9552 CRC64;  
 Query Match 71.7%; Score 124; DB 1; Length 25;  
 Best Local Similarity 76.0%; Pred. No. 6.5e-09;  
 Matches 19; Conservative 2; Mismatches 4; Indels 0; Gaps 0;  
 QY 1 CKGKGAKCSRLMYDCCTGSCRSKC 25  
 DB 1 CKGKGASCRKTYDCRCGSCRSKC 25  
 |||||||:|||||||||||  
 RESULT 3  
 CXOC\_CONCT STANDARD; PRT; 26 AA.  
 ID CXOC\_CONCT  
 AC P58919;  
 DT 15-JUN-2002 (Rel. 41, Created)  
 DT 15-JUN-2002 (Rel. 41, Last sequence update)  
 DT 15-JUN-2002 (Rel. 41, Last annotation update)  
 DE Omega-conotoxin CVIC.  
 OS Conus catus (Cat cone).  
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;  
 OC Neogastropoda; Conoidea; Conidae; Conus.  
 OX NCBI\_TaxID=101291;  
 RN [1]  
 RP SEQUENCE, AND SYNTHESIS.  
 RC TISSUE=venom;  
 RX PubMed-10938268;  
 RA Lewis R.J., Nielsen K.J., Craik D.J., Loughnan M.L., Adams D.A.,  
 Sharpe I.A., Luchian T., Adams D.J., Bond T., Thomas L., Jones A.,

```

RA Matheson J.-L., Drinkwater R., Andrews P.R., Alewood P.F.;
RT "Novel omega-conotoxins from Conus catus discriminate among neuronal
CC calcium channel subtypes.";
RL J. Biol. Chem. 275:35335-35344(2000).
CC -!- FUNCTION: Omega-conotoxins act at presynaptic membranes, they bind
CC and block voltage-sensitive calcium channels (VSCC) (By
CC similarity). This toxin blocks N-, P-, and Q-type calcium
CC channels.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Expressed by the venom duct.
CC -!- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE
CC FAMILY.
CC Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;
KW Amidation.
FT FT DISULFID 1 16 BY SIMILARITY.
FT FT DISULFID 8 20 BY SIMILARITY.
FT FT DISULFID 15 26 BY SIMILARITY.
FT MOD_RES 26 26 AMIDATION.
SQ SEQUENCE 26 AA; 2790 MW; 56EFC382335C4A8B CRC64;

Query Match 70.8%; Score 122.5; DB 1; Length 26;
Best Local Similarity 80.8%; Pred. No. 1e-08;
Matches 21; Conservative 1; Mismatches 3; Indels 1; Gaps 1;

QY 1 CKKGAKCSRLMYDCTGSC-RSGKC 25
||||| ||:||||||| |||
Db 1 CKKGQSCSKLMDCTGSCRRGKC 26

RESULT 4
CXOB_CONMA STANDARD; PRT; 25 AA.
ID CXOB_CONMA
AC P05485;
DT 01-NOV-1988 (Rel. 09, Created)
DT 01-NOV-1988 (Rel. 09, Last sequence update)
DT 15-JUN-2002 (Rel. 41, Last annotation update)
DE Omega-conotoxin MVIIB (SNX-159).
OS Conus magus (Magus cone).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neogastropoda; Conoidea; Conidae; Conus.
OX NCBI_TaxID=6492;
RN [1]
RP SEQUENCE.
RX MEDLINE=67299637; PubMed=2441741;
RA Oliveira B.M., Cruz L.J., de Santos V., Lecheminant G.W., Griffin D.,
RA Zeikus R.D., McIntosh J.M., Galyean R., Varga J., Gray W.R.,
RA Rivier J.E.;
RT "Neuronal calcium channel antagonists. Discrimination between calcium
RT channel subtypes using omega-conotoxin from Conus magus venom.";
RL Biochemistry 26:2086-2090(1987).
CC -!- FUNCTION: Omega-conotoxins act at presynaptic membranes, they bind
CC and block voltage-sensitive calcium channels (VSCC).
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Expressed by the venom duct.
CC -!- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE
CC FAMILY.
DR PIR; B34115;
DR PIR; JH0701; JH0701.
DR HSSP; P05484; LMV1.
DR Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;
KW Amidation.
FT FT DISULFID 1 16
FT FT DISULFID 8 20
FT FT DISULFID 15 25
FT MOD_RES 25 25 AMIDATION.
SQ SEQUENCE 25 AA; 2626 MW; E4B9CE5EFAA3734D CRC64;

Query Match 69.4%; Score 120; DB 1; Length 25;
Best Local Similarity 76.0%; Pred. No. 1.9e-08;
Matches 19; Conservative 0; Mismatches 6; Indels 0; Gaps 0;

QY 1 CKKGAKCSRLMYDCTGSCRRGKC 25
||||| | | ||||| |||

```

```

Db 1 CKKGASCHRTSYDCTGSCNRGKC 25

RESULT 5
CXO7_CONCN STANDARD; PRT; 27 AA.
ID CXO7_CONCN
AC P58916;
DT 15-JUN-2002 (Rel. 41, Created)
DT 15-JUN-2002 (Rel. 41, Last sequence update)
DT 15-JUN-2002 (Rel. 41, Last annotation update)
DE Omega-conotoxin CNVIIA.
OS Conus consors (Singed cone).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neogastropoda; Conoidea; Conidae; Conus.
OX NCBI_TaxID=101297;
RN [1]
RP SEQUENCE, SYNTHESIS, AND MASS SPECTROMETRY.
RC TISSUE-Venom;
RX PubMed=11724570;
RA Favreau P., Gilles N., Lamthanh H., Bournaud R., Shimahara T.,
RA Bouet F., Laboute P., Letourneux Y., Menez A., Molgo J., Le Gall F.;
RT "A new omega-conotoxin that targets N-type voltage-sensitive calcium
RT channels with unusual specificity.";
RL Biochemistry 40:14567-14575(2001).
CC -!- FUNCTION: Omega-conotoxins act at presynaptic membranes, they bind
CC and block voltage-sensitive calcium channels (VSCC). This toxin
CC blocks N-type calcium channels, but unexpectedly, does not show
CC any blocking activity at amphibian neuromuscular junction. Causes
CC shaking activity, and, at higher doses, causes mild tremors when
CC injected intracerebroventricularly into mice. Causes paralysis,
CC and, at higher doses, causes death when injected intramuscularly
CC into fish.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Expressed by the venom duct.
CC -!- MASS SPECTROMETRY: MW=2847.74; METHOD=Electrospray.
CC -!- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE
CC FAMILY.
KW Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;
FT FT HYDROXYLATION; Amidation.
FT BINDING 13 13 ESSENTIAL FOR CALCIUM CHANNEL BINDING (BY
FT SIMILARITY).
FT FT DISULFID 1 16 BY SIMILARITY.
FT FT DISULFID 8 20 BY SIMILARITY.
FT FT DISULFID 15 27 BY SIMILARITY.
FT MOD_RES 7 7 HYDROXYLATION.
FT MOD_RES 27 27 AMIDATION.
SQ SEQUENCE 27 AA; 2839 MW; B9DEFD1491F2CB4A CRC64;

Query Match 66.5%; Score 115; DB 1; Length 27;
Best Local Similarity 74.1%; Pred. No. 7.9e-08;
Matches 20; Conservative 2; Mismatches 3; Indels 2; Gaps 1;

QY 1 CKKGAKCSRLMYDCTGSCRS--GKC 25
||||| |:||||| ||| | |
Db 1 CKKGAPCTRLMYDCCHGSCSSKGRK 27

RESULT 6
CXO3_CONST STANDARD; PRT; 71 AA.
ID CXO3_CONST
AC Q9XK2;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 15-JUN-2002 (Rel. 41, Last annotation update)
DE Omega-type conotoxin SO3 precursor.
GN SO3.
OS Conus striatus (Striated cone).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neogastropoda; Conoidea; Conidae; Conus.
OX NCBI_TaxID=6493;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE-Venom duct;

```

```

RX MEDLINE=20037955; PubMed=10573284;
RA Lu B.-S., Yu F., Zhao D., Huang P.-T., Huang C.-F.;
RT "Conopeptides from Conus striatus and Conus textile by cDNA
RT cloning.";
RL Peptides 20:1139-1144(1999).
CC -!- FUNCTION: Omega-conotoxins act at presynaptic membranes, they bind
CC and block voltage-sensitive calcium channels (VSCC) (By
CC similarity).
CC -!- SUBCELLULAR LOCATION: Secreted (By similarity).
CC -!- TISSUE SPECIFICITY: Expressed by the venom duct.
CC -!- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE
CC FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: AF146348; AAD31908.1; -
CC DR HSP: P05484; LMVI.
CC DR InterPro: IPR004214; Conotoxin.
CC DR Pfam: PF02950; Conotoxin; 1.
CC KW Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;
CC Signal; Amidation.
CC FT SIGNAL 1 22 POTENTIAL.
CC FT PROPEP 23 44 POTENTIAL.
CC FT PEPTIDE 45 70 OMEGA-TYPE CONOTOXIN SO3.
CC FT DISULFID 46 61 BY SIMILARITY.
CC FT DISULFID 53 65 BY SIMILARITY.
CC FT DISULFID 60 70 BY SIMILARITY.
CC FT MOD_RES 70 70 AMIDATION (G-71 PROVIDE AMIDE GROUP)
CC FT (POTENTIAL).
CC SQ SEQUENCE 71 AA; 7628 MW; CE7070DC3E94D73 CRC64;
CC
CC Query Match 66.5%; Score 115; DB 1; Length 71;
CC Best Local Similarity 72.0%; Pred. No. 1.6e-07;
CC Matches 18; Conservative 2; Mismatches 5; Indels 0; Gaps 0;
CC
CC QY 1 CKGKGAKSRMLMYDCTGSCRSKGC 25
CC II | | | | | | | | | | | | | | | | | |
CC DB 46 CRAAGKPCSRRIAYNCTGSCRSKGC 70
CC
CC RESULT 7
CC CXOD_CONCT STANDARD; PRT; 71 AA.
CC ID CXOA_CONCT
CC AC P58917;
CC DT 15-JUN-2002 (Rel. 41, Created)
CC DT 15-JUN-2002 (Rel. 41, Last sequence update)
CC DT 15-JUN-2002 (Rel. 41, Last annotation update)
CC DE Omega-conotoxin CVIA precursor.
CC OS Conus catus (Cat cone).
CC OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
CC Neogastropoda; Conoidea; Conidae; Conus.
CC OX NCBI_TaxID=101291;
CC RN [1]
CC RP SEQUENCE FROM N.A., SEQUENCE OF 46-70, AND SYNTHESIS.
CC RQ TISSUE-Venom duct, and Venom;
CC RX PubMed=10938268;
CC RA Lewis R.J., Nielsen K.J., Craik D.J., Loughnan M.L., Adams D.A.,
CC Sharpe I.A., Luchian T., Adams D.J., Bond T., Thomas L., Jones A.,
CC Matheson J.-L., Drinkwater R., Andrews P.R., Alewood P.F.;
CC "Novel omega-conotoxins from Conus catus discriminate among neuronal
CC calcium channel subtypes.";
CC RT J. Biol. Chem. 275:35335-35344(2000).
CC RL -!- FUNCTION: Omega-conotoxins act at presynaptic membranes, they bind
CC and block voltage-sensitive calcium channels (VSCC) (By
CC similarity). This toxin blocks N-type calcium channels.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Expressed by the venom duct.
CC -!- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE
CC FAMILY.
CC KW Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;
CC Amidation; Signal.
CC FT SIGNAL 1 22 POTENTIAL.
CC FT PROPEP 23 45 OMEGA-CONOTOXIN CVID.
CC FT PEPTIDE 46 72 BY SIMILARITY.
CC FT DISULFID 46 61 BY SIMILARITY.
CC FT DISULFID 53 65 BY SIMILARITY.
CC FT DISULFID 60 72 BY SIMILARITY.
CC FT MOD_RES 72 72 AMIDATION (G-73 PROVIDE AMIDE GROUP).
CC SQ SEQUENCE 73 AA; 7748 MW; C4CEBD30C77DAEC3 CRC64;
CC
CC Query Match 65.9%; Score 114; DB 1; Length 73;
CC Best Local Similarity 70.4%; Pred. No. 2.2e-07;
CC Matches 19; Conservative 3; Mismatches 3; Indels 2; Gaps 1;
CC
CC QY 1 CKGKGAKSRMLMYDCTGSCRS--GKC 25
CC II | | | | | | | | | | | | | | | | | |
CC DB 46 CKSKGAKSKMLMYDCCSGCSGTVGRC 72
CC
CC RESULT 9

```

```

CC -!- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE
CC FAMILY.
CC KW Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;
CC Amidation; Signal.
CC FT SIGNAL 1 22 POTENTIAL.
CC FT PROPEP 23 45 OMEGA-CONOTOXIN CVIA.
CC FT PEPTIDE 46 70 BY SIMILARITY.
CC FT DISULFID 46 61 BY SIMILARITY.
CC FT DISULFID 53 65 BY SIMILARITY.
CC FT DISULFID 60 70 BY SIMILARITY.
CC FT MOD_RES 70 70 AMIDATION (G-71 PROVIDE AMIDE GROUP).
CC SQ SEQUENCE 71 AA; 7665 MW; B99D9C7C74996D01 CRC64;
CC
CC Query Match 66.5%; Score 115; DB 1; Length 71;
CC Best Local Similarity 72.0%; Pred. No. 1.6e-07;
CC Matches 18; Conservative 1; Mismatches 6; Indels 0; Gaps 0;
CC
CC QY 1 CKGKGAKSRMLMYDCTGSCRSKGC 25
CC II | | | | | | | | | | | | | | | | | |
CC DB 46 CKSTGASCRRTSYDCTGSCRSKGC 70
CC
CC RESULT 8
CC CXOD_CONCT STANDARD; PRT; 73 AA.
CC ID CXOD_CONCT
CC AC P58920;
CC DT 15-JUN-2002 (Rel. 41, Created)
CC DT 15-JUN-2002 (Rel. 41, Last sequence update)
CC DT 15-JUN-2002 (Rel. 41, Last annotation update)
CC DE Omega-conotoxin CVID precursor.
CC OS Conus catus (Cat cone).
CC OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
CC Neogastropoda; Conoidea; Conidae; Conus.
CC OX NCBI_TaxID=101291;
CC RN [1]
CC RP SEQUENCE FROM N.A., SEQUENCE OF 46-72, SYNTHESIS, AND STRUCTURE BY
CC NMR.
CC RQ TISSUE-Venom duct, and Venom;
CC RX PubMed=10938268;
CC RA Lewis R.J., Nielsen K.J., Craik D.J., Loughnan M.L., Adams D.A.,
CC Sharpe I.A., Luchian T., Adams D.J., Bond T., Thomas L., Jones A.,
CC Matheson J.-L., Drinkwater R., Andrews P.R., Alewood P.F.;
CC "Novel omega-conotoxins from Conus catus discriminate among neuronal
CC calcium channel subtypes.";
CC RT J. Biol. Chem. 275:35335-35344(2000).
CC RL -!- FUNCTION: Omega-conotoxins act at presynaptic membranes, they bind
CC and block voltage-sensitive calcium channels (VSCC) (By
CC similarity). This toxin blocks N-type calcium channels.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Expressed by the venom duct.
CC -!- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE
CC FAMILY.
CC KW Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;
CC Amidation; Signal.
CC FT SIGNAL 1 22 POTENTIAL.
CC FT PROPEP 23 45 OMEGA-CONOTOXIN CVID.
CC FT PEPTIDE 46 72 BY SIMILARITY.
CC FT DISULFID 46 61 BY SIMILARITY.
CC FT DISULFID 53 65 BY SIMILARITY.
CC FT DISULFID 60 72 BY SIMILARITY.
CC FT MOD_RES 72 72 AMIDATION (G-73 PROVIDE AMIDE GROUP).
CC SQ SEQUENCE 73 AA; 7748 MW; C4CEBD30C77DAEC3 CRC64;
CC
CC Query Match 65.9%; Score 114; DB 1; Length 73;
CC Best Local Similarity 70.4%; Pred. No. 2.2e-07;
CC Matches 19; Conservative 3; Mismatches 3; Indels 2; Gaps 1;
CC
CC QY 1 CKGKGAKSRMLMYDCTGSCRS--GKC 25
CC II | | | | | | | | | | | | | | | | | |
CC DB 46 CKSKGAKSKMLMYDCCSGCSGTVGRC 72
CC
CC RESULT 9

```

```

CXOC_CONMA          STANDARD;          PRT;          29 AA.
ID  CXOC_CONMA
AC  P37300;
DT  01-OCT-1994 (Rel. 30, Created)
DT  01-OCT-1994 (Rel. 30, Last sequence update)
DT  15-JUN-2002 (Rel. 41, Last annotation update)
DE  Omega-conotoxin MVIIC precursor (SNX-230) (Fragment).
OS  Conus magus (Magus cone).
OC  Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC  Neogastropoda; Conoidea; Conidae; Conus.
OX  NCBI_TaxID=6492;
RN  [1]
RP  SEQUENCE FROM N.A., AND SYNTHESIS.
RX  MEDLINE=92337922; PubMed=1352986;
RA  Hillyard D.R., Monje V.D., Mintz I.M., Bean B.P., Nadasdi L.,
RA  Ramachandran J., Miljanich G.P., Azimov-Zoonooz A., McIntosh J.M.,
RA  Cruz L.J., Imperial J.S., Olivera B.M.;
RT  "A new Conus peptide ligand for mammalian presynaptic Ca2+ channels.";
RN  Neuron 9:69-77(1992).
RN  [2]
RN  STRUCTURE BY NMR.
RP  MEDLINE=95248539; PubMed=7731037;
RA  Farr-Jones S., Miljanich G.P., Nadasdi L., Ramachandran J.,
RA  Basus V.J.;
RT  "Solution structure of omega-conotoxin MVIIC, a high affinity ligand
RT  of P-type calcium channels, using 1H NMR spectroscopy and complete
RT  relaxation matrix analysis.";
RL  J. Mol. Biol. 248:106-124(1995).
RN  [3]
RN  STRUCTURE BY NMR.
RP  PubMed=10373375;
RX  Nielsen K.J., Adams D., Thomas L., Bond T., Alewood P.F., Craik D.J.,
RA  Lewis R.J.;
RT  "Structure-activity relationships of omega-conotoxins MVIIC, MVIIC and
RT  14 loop splice hybrids at N and P/Q-type calcium channels.";
RL  J. Mol. Biol. 289:1405-1421(1999).
RN  [4]
RN  MUTAGENESIS OF TYR-15.
RP  PubMed=7677735;
RX  Kim J.I., Takahashi M., Martin-Moutot N., Seagar M.J., Ohtake A.,
RA  Sato K.;
RT  "Tyr13 is essential for the binding of omega-conotoxin MVIIC to the
RT  P/Q-type calcium channel.";
RL  Biochem. Biophys. Res. Commun. 214:305-309(1995).
CC  -1- FUNCTION: Omega-conotoxins act at presynaptic membranes, they bind
CC  and block voltage-sensitive calcium channels (VSCC). This toxin
CC  blocks N-type calcium channels as well as types of high-threshold
CC  voltage-gated calcium channels resistant to both dihydropyridines
CC  and omega-conotoxin GVIA.
CC  -1- SUBCELLULAR LOCATION: Secreted.
CC  -1- TISSUE SPECIFICITY: Expressed by the venom duct.
CC  -1- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE
CC  FAMILY.
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC  the European Bioinformatics Institute. There are no restrictions on its
CC  use by non-profit institutions as long as its content is in no way
CC  modified and this statement is not removed. Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
CC  -----
CC  EMBL; S40826; AAB22674.1; -.
CC  PIR; JH0699; JH0699.
CC  PDB; 1OMN; 01-DEC-95.
CC  PDB; ICNN; 31-MAY-00.
CC  KW Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;
CC  Hydroxylation; Amidation; 3D-structure.
CC  NON_TER 1 1
CC  PROPEP <1 2
CC  PEPTIDE 3 28 OMEGA-CONOTOXIN MVIIC.
CC  BINDING 15 15 ESSENTIAL FOR CALCIUM CHANNEL BINDING.
CC  DISULFID 3 18

Query Match 60.1%; Score 104; DB 1; Length 29;

FT  DISULFID 10 22
FT  DISULFID 17 28
FT  MOD_RES 9 9 HYDROXYLATION (PROBABLE).
FT  MOD_RES 28 28 AMIDATION (G-29 PROVIDE AMIDE GROUP).
FT  MUTAGEN 15 15 Y->A: HIGH DECREASE IN BINDING.
SQ  SEQUENCE 29 AA; 3071 MW; AC7A68948474728A CRC64;

Query Match 65.0%; Score 112.5; DB 1; Length 29;
Best Local Similarity 73.1%; Pred. No. 1.7e-07;
Matches 19; Conservative 2; Mismatches 4; Indels 1; Gaps 1;

QY 1 CKGKGAKCSRLMYDCCGTGSC-RSGKC 25
Db 3 CKGKGAPCRKTMYYDCCSGSGRRGKC 28

RESULT 10
CXOC_CONMA          STANDARD;          PRT;          29 AA.
ID  CXOC_CONMA
AC  Q26350;
DT  15-DEC-1998 (Rel. 37, Created)
DT  15-DEC-1998 (Rel. 37, Last sequence update)
DT  15-JUN-2002 (Rel. 41, Last annotation update)
DE  Omega-conotoxin MVIID precursor (SNX-238) (Fragment).
OS  Conus magus (Magus cone).
OC  Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC  Neogastropoda; Conoidea; Conidae; Conus.
OX  NCBI_TaxID=6492;
RN  [1]
RP  SEQUENCE FROM N.A.
RX  MEDLINE=94150815; PubMed=8107968;
RA  Monje V.D., Haack J.A., Naisbitt S.R., Miljanich G., Ramachandran J.,
RA  Nadasdi L., Olivera B.M., Hillyard D.R., Gray W.R.;
RT  "A new Conus peptide ligand for Ca channel subtypes.";
RL  Neuropharmacology 32:1141-1149(1993).
RN  [2]
RN  STRUCTURE BY NMR.
RP  PubMed=9920728;
RX  Civera C., Vazquez A., Sevilla J.M., Bruix M., Gago F., Garcia A.G.,
RA  Sevilla P.;
RT  "Solution structure determination by two-dimensional 1H NMR of
RT  omega-conotoxin MVIID, a calcium channel blocker peptide.";
RL  Biochem. Biophys. Res. Commun. 254:32-35(1999).
CC  -1- FUNCTION: Omega-conotoxins act at presynaptic membranes, they bind
CC  and block voltage-sensitive calcium channels (VSCC). This toxin
CC  blocks channels of the N-type as well as other types.
CC  -1- SUBCELLULAR LOCATION: Secreted.
CC  -1- TISSUE SPECIFICITY: Expressed by the venom duct.
CC  -1- SIMILARITY: BELONGS TO THE O-SUPERFAMILY OF CONOTOXINS. OMEGA-TYPE
CC  FAMILY.
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC  the European Bioinformatics Institute. There are no restrictions on its
CC  use by non-profit institutions as long as its content is in no way
CC  modified and this statement is not removed. Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
CC  -----
CC  EMBL; S69322; AAB29902.1; -.
CC  HSSP; P05484; IMVI.
CC  KW Presynaptic neurotoxin; Neurotoxin; Toxin; Calcium channel inhibitor;
CC  Amidation.
CC  NON_TER 1 1
CC  PROPEP <1 3
CC  PEPTIDE 4 28 OMEGA-CONOTOXIN MVIID.
CC  DISULFID 4 19
CC  DISULFID 11 23
CC  DISULFID 18 28
CC  MOD_RES 28 28
CC  SEQUENCE 29 AA; 3104 MW; 9E04B2EA3779CB22 CRC64;

Query Match 60.1%; Score 104; DB 1; Length 29;

FT  DISULFID 10 22
FT  DISULFID 17 28
FT  MOD_RES 9 9 HYDROXYLATION (PROBABLE).
FT  MOD_RES 28 28 AMIDATION (G-29 PROVIDE AMIDE GROUP).
SQ  SEQUENCE 29 AA; 3071 MW; AC7A68948474728A CRC64;

```

[illegible]

```

RA Amoureux M.C., Rethsaus E., Wurch T., Colpaert F.C., Pauwels P.J.;
RL Submitted (JUL-1995) to the EMBL/GenBank/DBJ databases.
[3]
RC SEQUENCE FROM N.A.
RC STRAIN-Sprague-Dawley;
RA Chapman G.A., Kille P.;
RC Submitted (SEP-1996) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: BINDS HEAVY METALS. CONTAINS ZINC AND COPPER ATOMS AND
CC ONLY A NEGLIGIBLE AMOUNT OF CADMIUM (BY SIMILARITY).
CC -!- TISSUE SPECIFICITY: BRAIN.
CC -!- SIMILARITY: BELONGS TO THE METALLOTHIONEIN SUPERFAMILY; FAMILY 1.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; S65838; AAB28366.1; -;
DR EMBL; X89603; CAA61762.1; -;
DR EMBL; Y08235; CAA69404.1; -;
DR HSSP; P28184; LJ19.
DR InterPro; IPR003019; Metallthion.
DR InterPro; IPR000006; Metallthion_vert.
DR Pfam; PF00131; metalthio; 1.
DR PRINTS; PR00860; MTVERTEBRATE.
DR PROSITE; PS00203; METALLOTHIONEIN_VRT; 1.
KW Metal-binding; Metal-thiolate cluster; Zinc; Copper; Acetylation.
FT MOD_RES 1 1 ACETYLTATION (BY SIMILARITY).
FT FT DOMAIN 1 30 BETA.
FT FT DOMAIN 31 66 ALPHA.
FT FT METAL 6 6 CLUSTER B (BY SIMILARITY).
FT FT METAL 8 8 CLUSTER B (BY SIMILARITY).
FT FT METAL 14 14 CLUSTER B (BY SIMILARITY).
FT FT METAL 16 16 CLUSTER B (BY SIMILARITY).
FT FT METAL 20 20 CLUSTER B (BY SIMILARITY).
FT FT METAL 22 22 CLUSTER B (BY SIMILARITY).
FT FT METAL 25 25 CLUSTER B (BY SIMILARITY).
FT FT METAL 27 27 CLUSTER B (BY SIMILARITY).
FT FT METAL 30 30 CLUSTER B (BY SIMILARITY).
FT FT METAL 34 34 CLUSTER A (BY SIMILARITY).
FT FT METAL 35 35 CLUSTER A (BY SIMILARITY).
FT FT METAL 37 37 CLUSTER A (BY SIMILARITY).
FT FT METAL 38 38 CLUSTER A (BY SIMILARITY).
FT FT METAL 42 42 CLUSTER A (BY SIMILARITY).
FT FT METAL 45 45 CLUSTER A (BY SIMILARITY).
FT FT METAL 49 49 CLUSTER A (BY SIMILARITY).
FT FT METAL 51 51 CLUSTER A (BY SIMILARITY).
FT FT METAL 62 62 CLUSTER A (BY SIMILARITY).
FT FT METAL 64 64 CLUSTER A (BY SIMILARITY).
FT FT METAL 65 65 CLUSTER A (BY SIMILARITY).
SQ SEQUENCE 66 AA; 6809 MW; BE753BE85664EBF8 CRC64;
Query Match 35.0%; Score 60.5; DB 1; Length 66;
Best Local Similarity 40.0%; Pred. No. 0.42;
Matches 12; Conservative 5; Mismatches 10; Indels 3; Gaps 2;
QY 1 CKKGAKGKCSRLMYDCTGSCRSRG--KCTRN 28
||| ||| ||| ||| ||| ||| ||| |||
DB 20 CKCKGCKCTNCKKSCCS-CCPAGCEKCAKD 48
RESULT 15
MT3_MOUSE STANDARD; PRT; 68 AA.
AC P28184;
DT 01-DEC-1992 (Rel. 24, Created)
DT 01-DEC-1992 (Rel. 24, Last sequence update)
DT 15-JUN-2002 (Rel. 41, Last annotation update)
DE Metallothionein-III (MT-III) (Growth inhibitory factor) (GIF).
GN MT3.

```

